



**JUI SHIH YA  
ENTERPRISE CO.,LTD**

2020

# **Carpeting & Flooring Tools Manufacture**



[www.jsy-1000.com.tw](http://www.jsy-1000.com.tw)

## Rolling Carpet Tucker

Tucks 5 times faster than conventional methods saving the professional time  
Tucks all qualities of carpet against tile, wood flooring, and LVT  
Non-slip grip handle for less user fatigue and provides better grip & control

---



## Edge Trimmer


The width of the separated stripe is 12 mm.

---



## Knee Pad / Knee Protector

Ergonomically designed to distribute the pressure of your body-weight.  
It serves to protect the kneecap and shin from pain and possible physical damage when working in a kneeling position.  
A new type of fastening system which can be adjusted to all sizes.  
The perfect combination of comfort and protection.



## Carpet Stretcher






# SEAM ROLLER



## **JSY-108 3-1/2" Star Carpet Seam Roller**

Those carpet seam rollers have metal spiked wheels rollers and washers allowing the tools to be heated with torch that press through the pile to seal the carpets back into the hot melt adhesives.

---



## **JSY-1081 5" Star Carpet Seam Roller**

Those carpet seam rollers have metal spiked wheels that press through the pile to seal the carpet's back into the hot melt adhesives. The pivoting axle of the flex roller pulls seams together, while mixing the fibers for less visible seam.

---



## **JSY-107 5" Star Carpet Seam Roller**

The wide head reduces dishing in seam area. To get stronger seams and increased hot melt transfer into carpet back with stationary roller shaft.

---



## **JSY-1082 Plastic Roller**

The NO.1082, 1083 plastic roller was with smooth, black plastic rollers for any quality of carpet or deep pile. Smooth rollers will not untwist fibers or snag loops.

---



## **JSY-1083 Plastic Roller**

The wide head reduces dishing in seam area. Smooth roller is specifically designed for safe seaming of cut pile carpets and saxonies.

# SEAM ROLLER



## **JSY-108-1 3-1/2" Star Carpet Seam Roller**

Those carpet seam rollers have metal spiked wheels rollers and washers allowing the tools to be heated with torch that press through the pile to seal the carpets back into the hot melt adhesives.

---



## **JSY-1081-1 5" Star Carpet Seam Roller**

Those carpet seam rollers have metal spiked wheels that press through the pile to seal the carpet's back into the hot melt adhesives. The pivoting axle of the flex roller pulls seams together, while mixing the fibers for less visible seam.

---



## **JSY-1082-1 Plastic Roller**

The NO.1082, 1083 plastic roller was with smooth, black plastic rollers for any quality of carpet or deep pile. Smooth rollers will not untwist fibers or snag loops.

---



## **JSY-1083-1 Plastic Roller**

The wide head reduces dishing in seam area. Smooth roller is specifically designed for safe seaming of cut pile carpets and saxonies.

# SEAM ROLLER

## **JSY-105 Carpet Seam Roller**

The same designed of JSY-924 roller that much improved to make the work the work easier. The raised handle allow firm control with less effort. The twist-lock handle telescopes from 17" to 27". The bright aluminum handle wont rust.



## **JSY-106 Carpet Seam Roller**

Made with 3 rows metal spiked wheels which used on all type of carpet. It unsure a thorough bond of the adhesive with the carpet backing, resulting in a flat seam, reduce seam-peaking, and mix fibers for less visible seams



## **JSY-112 Carpet Seam Roller**

Professionally seams and reduce pock marks in short nap carpets. Work longer with less effort. Reduce seam-peaking with wide rollers and also great for use with sheetgoods and laminates.



## **JSY-1087 2 Way Carpet Seam Roller**

This tool is our new creation. One way to seams and reduce pock marks in short nap carpets. The other side has star spiked wheels rollers and washers allowing the tools to be heated with torch that press through the pile to seal the carpet's back into the hot melt adhesives. It is very convenient tool to use two function with one tool.



## **JSY-1084 Carpet Seam Roller**

Features one side for spike and other side is smooth rollers. One tools for 2 functions. A unique handle that work longer with less effort.



## **JSY-1085 Carpet Seam Roller**

Features front and rear guide spiked wheels. A unique handle that work longer with less effort.





# SEAM ROLLER



## **JSY-1086 Seam Roller**

Those carpet seam rollers have 2 different size of metal wheels rollers that has many uses (linoleum seam work, floor and counter-top coving, asphalt tile)

Allow the tools to be heated with torch that press through the pile to seal the carpets back into the hot melt adhesives.



## **JSY-927 Seam Roller**

Rollers are polished steel and with DOUBLE fork .



## **JSY-928IR Seam Roller**

Theses seam rollers are designed a single-arm that let worker work close to the wall. The ferrule and arm bracket are plated to prevent rust. The most important is the polished steel roller rides on a ball bearing race.



## **JSY-928OR Seam Roller**

Theses seam rollers are designed a single-arm that let worker work close to the wall. The ferrule and arm bracket are plated to prevent rust. The most important is the polished steel roller rides on a ball bearing race.



## **JSY-928SQ Seam Roller**

Theses seam rollers are designed a single-arm that let worker work close to the wall. The ferrule and arm bracket are plated to prevent rust. The most important is the polished steel roller rides on a ball bearing race.



## **JSY-916 Corner Roller**

Rounded edge is perfect for secure detail and flashing seams where preventing membrane damage is top priority.



## **JSY-917 Corner Saw Roller**

Rounded edge is perfect for secure detail and flashing seams where preventing membrane damage is top priority.



# FLOOR / WALL ROLLER

## **JSY-920 "J" Roller**

This roller used by plastic laminate installer. The 14" aluminum handle is designed to use minimum effort. The 3" wide, solid, resilient roller is recessed on the end to permit rolling near walls.



---

## **JSY-924 Extendible Roller**

The new designed roller that much improved to make the work the work easier. The raised handle allow firm control with less effort. The twist-lock handle telescopes from 17" to 27". The bright aluminum handle won't rust.



---

## **JSY-926 7PC Extendible Roller**

This tool features with seven rollers and designed to work on all carpet, vinyl, wallpaper. 16-3/4" wide.



---

## **JSY-921 Plane Roller**

The plane roller with standard single fork and suitable handle.

## **JSY-922 External Angle Roller**

## **JSY-923 Hand Roller**



# FLOOR / WALL ROLLER



## **JSY-921 Heavy Duty "J" Roller**

To ensure uniform gluing of plastic laminates or other sheet products with contact cement, sufficient pressure must be applied to the surface.

Type: Laminate Rollers  
Length: 15 inch  
Width: 3 inch



## **928S40 Stainless Steel Seam Roller**

Helps apply even pressure when applying veneers, laminates, and adhesive tape .

Wood handle.

Roller material : Stainless steel .

Product Dimensions : 7.9 x 4.4 x 1 inches

Roller length : 1 - 1 / 2"



## **928S90 Stainless Steel Seam Soller**

Helps apply even pressure when applying veneers, laminates, and adhesive tape .

Wood handle.

Roller material : Stainless steel .

Product Dimensions : 5.4 x 2.7 x 0.9 inches

Roller length : 3 - 1 / 2"



## **928P40 Polyethylene Seam Roller**

Compress the floor veneers, adhesive tape, and laminates .

Wood handle.

Roller material: Polyethylene ( PE ).

Product Dimensions : 9.9 x 4.1 x 0.9 inches

Roller length : 40 mm



## **928P90 Polyethylene Seam Roller**

Compress the floor veneers, adhesive tape, and laminates .

Wood handle.

Roller material: Polyethylene ( PE ).

Product Dimensions : 9.9 x 4.1 x 0.9 inches

Roller length : 90 mm



# FLOOR / WALL ROLLER

## 929 Heavy Duty Laminate Floor Steel Roller

All steel construction  
Heavy duty roller pressing flooring evenly into adhesive  
Rubber grips for comfort  
Total Length: 1350 mm  
Width: 320 mm  
Roller diameter: 50 mm  
Weight: 6 KGS ( 13 lb. )



## 102 Deluxe Carpet Seam Roller

For loop pile carpet .  
Professionally removes even the most demanding carpet seam.  
Plastic handle lightweight design to minimize user fatigue.  
Dimension: width 4-1/2" rollers



## 925 Extendible Roller

The new designed roller that much improved to make the work the work easier.  
The raised handle allow firm control with less effort.  
The twist-lock handle telescopes from 36" to 68"..  
The bright aluminum handle won't rust.



# FLOOR / WALL SCRAPER



**JSY-900 6" x 24" Floor / Wall Scraper PAT**  
**JSY-900A 6" x 18" Floor / Wall Scraper PAT**

These scraper are used for a variety of floor, wall and wall paper. Now improve with two screw blades holders, plus the razor sharp blades, provide, clean shaving, cutting action. This tools used special size blade. It's 6"

---



**JSY-901 4" x 18" Scraper**  
**JSY-902 4" x 12" Scraper**  
**JSY-903 4" x 7" Scraper**

These scraper are used for a variety of floor, wall and wall paper. The one-screw blades holders, plus the razor sharp blades, provide clean shaving cutting action.

---



**JSY-9011 4" x 12" Scraper**  
**JSY-9012 4" x 18" Scraper**

These stripper are used for a variety of floor, wall and wall paper. Now improve with three-screw blades holders, plus the razor sharp blades, provide clean shaving cutting action. The head and handle are zinc electroplating.

---



**JSY-910 4" x 12" Scraper**  
**JSY-911 4" x 18" Scraper**  
**JSY-912 4" x 48" Scraper**

This scraper features changing blade without screw-driver. The identity of scraper inside has magnet that blade would not fall down when you change blade. It uses the snap-off blade.

---



**JSY-901L 4" x 28" ~ 48" Extendible Scraper**

These scraper are used for a variety of floor, wall and wall paper. With long handle could easy to remove the high space wall paper.



# FLOOR / WALL SCRAPER

## **JSY-9011L 4" x 48" Extendible Scraper**

These stripper are used for a variety of floor, wall and wall paper. Now improve with three-screw blades holders, plus the razor sharp blades, provide clean shaving cutting action. The head and handle are zinc electroplating.



## **JSY-904 4" Heavy Duty Scraper Chisel Type**

This tool used for removes tile, adhesive, carpet, and other flooring materials. Lightweight, heavy duty aluminum construction. High quality alloy steel blade. Includes one 4" hardened carbon steel, double-sided blade.



## **JSY-905 4" Heavy Duty Scraper**

These tool efficiently removes old tile, adhesive, carpet and other floor covering materials. The metal handle is vinyl coated for comfort.



## **JSY-905-48 4" x 48" Heavy Duty Scraper** **JSY-905-52 4" x 52" Heavy Duty Scraper**

These tool efficiently removes old tile, adhesive, carpet and other floor covering materials. The metal handle is vinyl coated for comfort.



## **JSY-906 6" Heavy Duty Scraper**

These tool efficiently remove old tile, adhesive, carpet and other floor covering materials. A extension bar adjusts scraper length. The handle allow firm control with less effort.



# FLOOR / WALL SCRAPER



## **JSY-908 8" Extendible Scraper PAT**

These tools features a replaceable blade, and a twist-lock adjustable telescoping handle. Length on both models is adjustable for maximum comfort-kneeling or standing.

---



## **JSY-9013 7" x 54" Scraper**

Heavy duty steel blade that stripped off any types of floor coverings.

---



## **JSY-9014 14" x 58" Scraper**

## **JSY-9015 18" x 58" Scraper**

Ideal for after work clean up. Scraper blades are firm but flexible.



# CARPET KNIFE

## **JSY-860 Slotted Carpet Knife Kit (P.A.T.)**

This knife used to cut carpet backing, foam pad or jute backed carpet. It has handle contoured for gripping. Blades are easy to change it also includes five heavy duty blades.



---

## **JSY-862 Pivoting Carpet Knife**

The new knife features a thumb knob for easy opening and closing. Pivots open for quick blades replacement. Handle with knurled, non-slip. Pivoting Carpet Knife has two types. One has including blades, another no blades are included.



---

## **JSY-863 Swivel Carpet Knife**

Have the special rectangular nut to loosen, and then slide open the halves of this knife for fast blade changing. Handle has storage space for extra blades.



---

## **JSY-864 Push-Button Carpet Knife**

The quickest opening design of this knife requires only press a button. Full sized textured handle for non-slip grip. It has blade storage place in the handle and with five extra blades.



# CARPET KNIFE

## JSY-075 Utility Knife



Large patented roller glides over rough materials such as roofing shingles, carpet, sheetgoods, linoleum and more.  
Big Grip Handle - Extended tail protects knuckles and provides firm grip  
Steel Reinforcements in nose and tail wear areas  
Push Button Opening - Quick and easy blade changing and storage access  
Blade Storage holds 10 extra blades (not included)  
Uses standard 2 or 3 notch utility and hook blades

---

## JSY-076 Carpet Knife



Top material: High Carbon Steel SK5  
  
Sharp-edged  
  
Handle: TPR  
  
Surface: Electrophoresis

---

## JSY-077 Moon Knife



As used in the Upvc window industry to remove beading, also used in the lead and leather trade.  
  
This spatula blade is just the same as the wooden handle spatula for trimming vinyl weld, but has the rubber handle and metal top.

---

## JSY-078 Linoleum Knife



For cutting and trimming vinyl or linoleum floor covering, roofing and similar material  
  
Tempered high-carbon steel blade  
  
Taper-ground cutlery steel blade permanently fastened to handle  
  
Comfortable wood handle



# CARPET KNIFE

## **JSY-079 Boot Knife**

Sturdy construction with 2 brass rivets

Ground blade for superior durability

Sharpened stainless steel blade, hardened and polished

For cutting leather or vinyl



---

## **JSY-871 Stainless Utility Knife**

Light duty cutter knife

Snap off

Stainless steel handle

Includes a pocket clip/blade snapper.

Light duty cutter knife

Weight: 16.1g

Plastic: POM

Blade material: High-carbon steel SK7

Blade thickness: 80 x 9 x 0.38mm



---

## **JSY-861 Fixed Blade Trimming Knife**

Utility knife

Non-Retractable

Heavy-duty knurled surface for long life and good grip

Material: Aluminum

Blade material: SK2

Including 1 pc blad



---

## **878 Dolphin Knife**

This Dolphin knife is the most popular knife used by carpet fitters, positive grip and easy blade replacement with thumb screw opening. Integral blade holder and magnetic blade retainer to hold blade in place whilst closing and locking. Supplied with holster and belt clip .

Material : Polished Aluminum

Blade material : SK2

Total weight w/ holster : 160 g

Length : 6 cm

Including 1 pc blade

878W White dolphin knife

878B Black dolphin knife



# CARPET CUTTER / TRIMMER



## **JSY-865 Cushion Back Cutter**

Designed for tight weave gauges of robber back carpet. Cut closer on either side with two blades that lock into position. Slender beveled guide makes it easy to stay in the rows.

---



## **JSY-866 Cushion Lock Cutter**

This cutter features an easy-loading blade slot and adjustable blade depth. With two blades installed, can trim close to either side of the pile. Blades are locked in place by a knurled fastener and also can retract into the stainless steel body.

---



## **JSY-867 Loop Pile Cutter**

Designed for cutting straight row loop pile carpets. Increase leverage, easier to guide and cut because the handle is attached to the base. With two blades installed, can trim close to either side of the pile. Has an adjustable throat for variable carpet backing thickness.

---



## **JSY-868 Conventional Carpet Trimmer**

Cuts either direction and has three position adjustable throat feature for carpet of pile height. Cutting height adjustments are made by using any of seven 1/16 thick shims. Moves easily under to spaces and into hard-to-reach areas with five position fold handle.



# CARPET CUTTER / TRIMMER



## **JSY-869 Carpet Cutter**

For textile floor coverings with jute back.



## **JSY-870 Carpet Cutter**

Often used on cutting foam back carpets, cushion floor carpets or looppile carpet.

This carpet cutter has straight blade angle for more precise cuts and special screw release for quick blade without screw-driver.

Fin long nosed body for optimum row separation to grip for comfortability and efficiency.

This universal carpet cutter slide along the carpet with 2 spring arms forcing the carpet down and towards the cutting blade.



## **JSY-710 Mitre Shear**

The Vinyl Miter tool makes straight or 45° angle cuts on vinyl and wood mouldings.

It uses an easily replaceable 2-3/8 Inches long razor sharp blade.

Features a 4 to 1 leverage, nickel plated steel parts and comfortable vinyl grips.

The handle locks in the closed position for safety.

Supplied with one blade.



## **JSY-711 Gripper Shear**

Ideal for fast and accurate cutting of wooden gripper to fit the contours of any room.

The anvil blade provides a firm base on which to rest the gripper when cutting.

Moulded, plastic coated handles for a firm comfortable grip.

Spare blades also available.

# CARPET CUTTER / TRIMMER

## JSY-10108 Strip Cutter



Rugged, forged steel construction to cut the strip less effort. Constructed of steel and nickel-plated to last a lifetime. The handle features a blade storage area and comes complete with extra blades.



## JSY-151 Extendable Carpet Cutter

These tool features a heavy duty utility blade in a slot on the replaceable, hardened steel point.

The steel point penetrates the flooring material to allow the cut begin at any position and lifts the flooring material from the subfloor to allow easy cutting.



## JSY-712 Replaceable Blade Mitre Shears

Replaceable, conventional trapezoidal blade. With opening spring and locking device . For crushing-free cutting of plastic, rubber and soft timber section; also for ribbon cable up to 56 mm width . Exchangeable cutting base with fence angle for 45 - Degree - cuts and markings for 60 - Degree -, 75 - Degree - and 90 - Degree - cuts . Product Dimensions : 7.9 x 1.3 x 0.3 inches .




## JSY-713 Swivel Stud Adjustable Mitre Shears

This handy Miter Snip tool is perfect for the professional contractor, plasterer Heavy duty construction for durability. It cuts plastic, decorative moldings, tile edges/trim, and many other materials.

The Snips come set up with seven preset angles: 45-degree, 60-degree, 75-degree, 90-degree, 105-degree, 120-degree, and 135-degree.

You can easily change the angle by sliding the self-indexing metal guide to the desired angle.

Blade material: SK5





# STAIR TOOL

## **JSY-109 Stair tool 3-1/2"**

Used for tucking carpet into the tackles strip/wall gully and to drive carpet into a stair crotch. Forged chrome plated steel for sturdy durability.



## **JSY-113 Bent Stair Tool**

The bent shape provides knuckle clearance for U blade tucking and makes wall tucking easier. Forged form tough chisel type alloy steel, and bright nickel plated.




## **JSY-115 Row Separator**

A double - ended tool used to spread carpet tufts, one end used for cut pile and the other for loop pile.



## **JSY-116-6 Scriber JSY-118-8**

Heavy die cast housing, with a sturdy precision fitting plated steel bar. Use for seam cutting and inlaying carpet border. Score and cut with slight under bevel which makes a perfect fit.



## **JSY-119 Combination Scriber**

Two scribes in one, standard and reverse scribing. Cut or scribe



## **JSY-140 Bar Scriber**

To cut all of vinyl and linoleum flooring, to used for marking lines on your flooring prior to cutting.



## **JSY-140-18 Recess Scriber**

To cut all of vinyl and linoleum flooring, to draw the point over the vinyl to leave a shallow scratch on its surface.





# TILE GROUT & HOLE SAW



## **JSY-803 Carbide Coping Saw**

Ideal for complex cuts in most hardwood, softwood, plastic and metal.  
6" deep frame.

---



## **JSY-812-6 6" Rod Saw** **JSY-812-10 10" Rod Saw** **JSY-812-12 12" Rod Saw**

---



## **JSY-850 Grout Saw**

This Grout Saw features a handle design and length that provide exceptional leverage for stripping, cleaning and removing old grout. The grout saw includes 2 blades for working with various grout joint widths.

---



## **JSY-851D Grout Saw**

New design for the soft handle. To removes old or discolored grout. It comes with a replaceable 2" carbide blade .

---



## **JSY-856 115mm Tungsten Pad** **JSY-899 125mm Tungsten Pad**

Both of 2 size hole are 22-23mm.

---



## **JSY-738 Nail Plier**



## **JSY-236 Ceramic Hole Saw**

Fits 1 / 2 in . and 3 / 8 in . drill chucks

This 1 - 3 / 8 in . Ceramic Tile Hole Saw is a good choice for faucet , pipe and shower head installations .

# FLOORING TOOLS

## **JSY-142 5" Contour Gauge** **143 10" Contour Gauge** **144 15" Contour Gauge** **145 20" Contour Gauge**

The contour gauge is a tool for fitting tile, carpets, comice repairs, car body repairs, moldel making and much more. Profiles of large workpieces, it can combine 2 gauges into a larger.

## **JSY-022 DIY PULL BAR**

Used to install all brands of tongue and groove flooring.  
Premium steel construction.  
Soft felt backing protects floors from scratches during installation.  
Dimension: 300 x 75 x 4 mm

## **JSY-613-08 8 OZ Ruber Mallet 43x72x275 mm** **613-12 12 OZ Ruber Mallet 45x86x275 mm** **613-16 16 OZ Ruber Mallet 53x95x320 mm** **613-24 24 OZ Ruber Mallet 60x105x330 mm** **613-32 32 OZ Ruber Mallet 65x113x335 mm**


Will not mar tile or baseboard.  
Rubber head securely mounted on wood handle

## **JSY-565 Ratchet Tie**

Bracing tools are not for lifting, pulling, transporing or putting on living creaturex.

Misusage can call forth personal or objects harm.

Ratchet buckle x 5m webbing(P.P.) with 2 plates.



## **JSY-11mm series Spike Roller** **21 mm** **31 mm**

Spiked roller(bubble remove roller) designed for used to release trapped air when levelling latex or water based floor coatings.  
Available in 2 size.

This tools makes getting a level finish when using latex easy.



# FLOORING TOOLS

## JSY-021 22 Piece Wood and Laminate Floor Flooring Installation Kit

Steel pull bar with felt padding for pulling floor boards tight (11-7/8").  
Hard wood tapping block to prevent edge marring (11-1/4" Long x 1-3/4" Wide).  
20 piece PP wedge design spacer set (wedging against the wall and flooring to provide the required expansion spacing distance).  
Maintains a straight and even flooring placement.  
Heavy Duty pull bar designed for hitting with hammer.



## JSY-023 Nail Driving Bar

Constructed of cold forged carbon steel for an extra long life  
Features a magnetic head to hold nails in place for easy starting  
Unique design to access hard-to-reach places such as: under radiators, toe kicks, overhangs and next to glass doors when nailing down tackless strip  
12-3/8" length



## JSY-022 Heavy Metal Flooring Pull Bar

The Heavy-Duty Pull Bar provides extra strength and versatility on flooring installations.  
The floor pulling bar boasts several design features that help get the job done faster and easier.  
Length: 530mm  
Material: Steel



## JSY-450 Spike shoes

The spiked shoes are used along with spiked screed roller.  
So when moving screed around a bigger area the fitter can walk through comfortably whilst spreading.  
Steel spikes release air bubbles from epoxy and gunite overlays, while protecting these materials from footprints.

\*Spike length: 1 inch (2.54cm) / 2inch (5.08cm)

\*Shoes material: PP





# FLOORING TOOLS

## CK3 - Router Blade Holder



The router exact handle is really well made. It has a comfortable rubber shaped handle and a plastic cover top. All of the router blades will fit comfortably into this handle. Just slot one in the top and twist the knurled outer ring to secure in place.

---

## Router Flooring Blades



Used for trimming weld. grooving. carving and hollowing surfaces, the carving router is just the tool you need to quickly define precision details and features .  
The carving router is an excellent detail tool that can work with a wide range of materials .  
Good for crafts workers alike, this tool will save time without sacrificing quality or safety .  
E1 - Rounded external - 6 mm  
E2 - Rounded external - 12 mm  
E3 - Diamond external  
E4 - Stirrup external

---

## Grooving U Blade



These blades are made from sheffield steel to the highest quality. The V blade fits the speed groover and p groover. They are used to make a u groove between sheet vinyl ready to weld together.

---

## JSY- 114 T Handle Stair Tool / Carpet Tucker



Patented design allows for better grip and tool control.  
Less impact on wrist and hand.  
Chrome finish protects against corrosion.  
Rounded corners and edges protect against snags.

# TILE TOOLS

## JSY-820 Magnetic Knife Holder

Total length 53 cm.  
Convenient to take the tools up or down.



## JSY-839 Hand ty

Suitable for metal tie wire



## JSY-840 Slab Carrier

This tool features each of two side have 5 holes that can fit any kind of wall blocks and slabs and works equally well on retaining.



## JSY-833 eramic & Marble File



## JSY-833 Carbide File



## JSY-855 Grout Remover

For removing old grout, mortar, thinset, calcium, caulking and surface rust



## JSY-857 Grout Removal Tool



## JSY-859 Tile Hole Drill

This kit features dual cutting tips with long lasting. Fit on electric drill, and easy to adjust.



## JSY-880 Cement Board Knife



## JSY-881 3Way Carbide Cement Board Cutter

Backerboard knife with 3 tungsten carbide tips for scoring cemet backerboards.



# MIXER



**JSY-201 120 x 10 x 600mm Mixer**

**JSY-202 100 x 10 x 600mm Mixer**

**JSY-203 80 x 8 x 400mm Mixer**

**JSY-204 60 x 8 x 400mm Mixer**

Those tools also have Chrome-plated style.



**JSY-301 120 x 10 x 600mm Mixer**

**JSY-302 90 x 10 x 600mm Mixer**

**JSY-303 70 x 8 x 400mm Mixer**



**JSY-304 120 x 10 x 600mm Mixer**



**JSY-401 125 x 10 x 600mm Mixer**

**JSY-402 80 x 10 x 600mm Mixer**

**JSY-403 60 x 6 x 280mm Mixer**

All mixers have adjustable wheel position to mix of ceramic tile, epoxy adhesives.



**JSY-501 120 x 10 x 600mm Mixer**

**JSY-502 100 x 10 x 600mm Mixer**

**JSY-503 80 x 8 x 400mm Mixer**

**JSY-504 60 x 6 x 350mm Mixer**



**JSY-601 4" x 3/8" x 36" Mixer**


**JSY-602 4" x 3/8" x 30" Mixer**

**JSY-603 4" x 3/8" x 24" Mixer**



**JSY-701 5" x 3/8" x 36" Mixer**

**JSY-702 5" x 3/8" x 30" Mixer**



**JSY-703 5" x 3/8" x 27" Mixer**



**JSY-706 130 x 10 x 600mm Mixer**



# TILE TOOLS



## **JSY-883 Tile Plier**

- \*Heavy duty chrome plated steel for long lasting durability
- \*Cuts small ceramic wall tiles without setting up tile saws or cutters
- \*Designed with 1/2 in. tungsten carbide cutting wheel for accurate scoring



## **JSY-884 Mosaic Glass Tile Nipper**

- \*The Glass Tile Nipper helps you quickly and easily cut shapes.
- \*The Glass Tile Nipper trim glass tile to fit around pipes, cabinets and walls or create eye-catching glass mosaics.
- \*Great for cutting glass mosaics
- \*Durable steel construction



## **JSY-885 Tile Nippers**

This tile nipper 8 in. Carbide-Edge Ceramic Tile Nipper has 5/8 in. carbide-tipped jaws that cut through ceramic and other tough materials. The nipper has 1 straight jaw and 1 convex-shaped jaw to reduce biting force. The nipper also features a coated handle for comfort and a handle spring to permit fast, repetitive cutting.



## **JSY-887-9 9" Tower Pincers**

## **JSY-887-10 10" Tower Pincers**

## **JSY-887-11 11" Tower Pincers**

Mainly used in construction industry.  
For tie wire cutting and pulling nails.  
Hidden retaining spring, makes the job easier.



## **JSY-888-7 7" Carpenter Pincers**

## **JSY-888-8 8" Carpenter Pincers**

Ideal for pulling and cutting nail in vertical position.  
Precisely riveted joints allow pliers to swing to open.  
Induction hardened, high wear resistant cutters.  
For industrial use.



## **JSY-889 7-1/2" Tile Hole Plier**

SIZE" 190mm (7-1/2")  
Tungsten carbide tip  
Black oxide industrial finished to be rustproof  
With vinyl grip  
Dynamically curved edges make circling and cutting work easy around hold inside

# STRETCHER / CARPENTRY

## JSY-101 Seam Repair Stretcher

To use stretcher runner, then use a stair tool to set carpet into crotch. For wide stairs, repeat the procedure



## JSY-328 Hand Sander

Aluminium material  
Spring clips at the front and rear make changing sandpaper fast and easy.  
Rubber seating for sandpaper adapts to irregular surfaces such as paint and putty.  
Hardwood finish handles are the industry's best



## JSY-848 2 IN 1 Edge Trimmer

Easily trim outside edges of veneered faces.  
Reach & trim corners of wood.  
Include 2 blade: veneer trimmer and an edge softening tools with two radius.(1/8" & 3/16")  
Work quickly and easily to soften edges.





# CARPENTRY



## JSY-130 Woodworking Hand Clamp JSY-131 Woodworking Hand Clamp JSY-132 Woodworking Hand Clamp

- Simple Control and adjust the pressure easily
- Strong and easy to position with one hand
- Non-marring pads for round or irregular pieces
- For small craft ,woodworking or household repair application

Item No.	Clamping	Max Force
JSY-130 Quick Release Woodworking Heavy Duty Plastic Hand Clamp(small one)	50 MM	40 KGS / 88 LBS
JSY-131 Quick Release Woodworking Heavy Duty Plastic Hand Clamp	75 MM	40 KGS / 88 LBS
JSY-132 Quick Release Woodworking Heavy Duty Plastic Hand Clamp	80 MM	40 KGS / 88 LBS



## JSY-133 Adjustable Woodworking Clamp

- Swivel jaw.
- Adjustment mechanism sliding arm.
- Quick release handle.
- Dual Durometer Handle.

- Clamp depth of throat: 52 mm (2 ")
- Clamp Maximum Capacity: 145 mm Dia. (5-11/16 ")



## JSY-134 Woodworking Bar Clamp

One hand operation

Soft TPR design makes the grip more comfortable and stylish

Unique quick-changed system in the left section that push the end of button can be from clamp to spreader

Clamping force can exert up to 180KGS/400LBS

Extra large pads can provide more clamping area

Inset trigger prevents accident released

Ideal for clamping/spreading, gluing, holding work for sawing/drilling and positioning work

Model	Description
JSY-134-6	Bar Clamp with Capacity/Opening 150mm ( 6" )
JSY-134-12	Bar Clamp with Capacity/Opening 300mm ( 12" )
JSY-134-18	Bar Clamp with Capacity/Opening 450mm ( 18" )
JSY-134-24	Bar Clamp with Capacity/Opening 600mm ( 24" )
JSY-134-36	Bar Clamp with Capacity/Opening 900mm ( 36" )



# CARPENTRY

## JSY-802 Angle Divisor

Made of aluminum and steel.

Included angle :  $10^{\circ}$  –  $170^{\circ}$ .

Half angle :  $5^{\circ}$  –  $85^{\circ}$ .

Push the divisor into the area that you need the angle or, then tighten the screw. You have a template to make moldings, rafters, or flooring at your work bench.



## JSY-815 Bench Stop

The stop is designed to be mortised flush into any wooden bench top over  $7/8$ " thick and is held in place by two flat head wood screws ( purchase separately ). Once installed, the stop will not interfere with normal bench usage

The  $2 - 1/2$ " long x  $1 - 1/2$ " wide cast aluminum flush mount bench stop is a handy addition for securing work pieces on your bench.

The cast aluminum body is non-marking, rust resistant and easy on your cutting tools



## JSY-816 Dowel Former

This dowel forming jig allows the user to turn wooden rod into dowels for jointing

Comprising of four high carbon steel dies, this former will create  $1/4$ ",  $5/16$ ",  $3/8$ " and  $1/2$ " dowels from similar sized rod.

To make the dowels, cut the wooden rod to the required size and chamfer each end with the dowel former's chamfer cutter.

Then, tap the chamfered rod gently through the corresponding die with a hammer to flute the sides



## JSY-817 Honing Guide

Chisel Honing Guide. Securely hold chisels and plane irons for the correct angle. Rolls smoothly on sharpening stone.

Sharpen chisels to the proper angle.

Get the angle right on tools from  $1/8$  - Inch to  $2 - 3/4$  - Inch in width

Holding Capacity : 70 mm



# CARPENTRY




## JSY-821 Thickness Gauge

Gauge - it is very fast to use and very simple to read. Thickness gauge is a simple, direct reading thickness caliper with an expanded scale which measures from  $1/32''$  to  $2''$ . ( 0 mm to 55 mm )

Metric size is available.

Use the tool as a go / no - go gauge. This new tool completely eliminates the tedious and constant measuring associated with planing and surfacing.

---




## JSY-829 Step Gauge

Set the exact width and depth of cut on your table or Radial Arm Saw. Use as a straight edge or to measure width of stock. Give you an exact setting instantly, regardless of the width or set of your blade.

Measures  $1/8''$  to  $2''$  depths in  $1/8''$  increment

Also works with your rip fence  $1/8''$  to  $1/4''$  to  $2 - 1/4''$

---



## JSY-830 Router Depth Gauge

This aluminum Router Depth Gauge makes router set up fast, easy and simple.

You simply set the Router Bit Depth Gauge across your cutter ( router bit ) and adjust the router bit to the required setting.

The Router Depth Gauge is designed for setting cutter depths from  $1/8''$  to  $1''$  in  $1/16''$  increment.

---



## JSY-831 Center Finder

Made of high quality impact resistant clear plastic, it will locate the center of up to  $8''$  diameter circles, octagons and squares, and up to  $5 - 3/4''$  hexagons.

Quickly and without calculations.

With this tool, woodworkers can find the center of round, square, hexagonal and octagonal stock.





# CARPENTRY

## **JSY-834 Panel Toter**

Panel toter can carry plywood and wallboard safely and easily

It also can eliminate problems with balance and visibility when transporting large sheets of material.

Carrying handle has vinyl grip and the panel toter made from cold formed steel with angled steel shaft to keep hands and knuckles away from the panels.



## **JSY-840 2 in 1 Router Depth & Saw Gauge**

This 2 in 1 gauge is really an all in one gauge as it can be used to set up table saws, band saws and routers in a quick and efficient manner.

Step gauge from 1/8" to 2"

Router depth gauge from 1/8" to 1"



## **JSY-845 Automatic Center Punch**

Great for punching, screwing holes and starting drilling, screwing or riveting holes

One-hand operation and easy to carry.

Material: Solid Brass Knurled Body

Overall length: 125mm (5")



## **JSY-845B Adjustable Automatic Slim Punch**

For easy scribing, marking on the metal, glass, plastic, ceramics and more

Aluminum housing with clip


Hardened & tempered Chrome Vanadium steel tip

Length: 6 ( inch )





# CARPENTRY



## **JSY-849 2 in 1 Chisel Sharpening Guide**

This unique design allows you to sharpen chisels, plane irons, etc either on hone or electric grinder easily.

All non - rust construction.

Get perfect sharpening and honing results fast - keep expensive tools cutting like new

2 - in - 1 design, use guide with grinding wheels to ensure exact angle relationship

Product dimension : 8 x 3 x 8 inches

---



## **JSY-850A 7 Piece Set Split Ring Stop Collars**

Used to accurately control the depth of the hole you are drilling  
Designed to grip the entire diameter of your drill bit without screw ever touching the shaft

Sizes fit bits 1/8, 3/16, 1/4, 5/16, 3/8, 7/16., and 1/2 ( Inch )

Material: Steel

Includes allen wrench

---



## **JSY-854 Double Pocket Hole Guide w / Insert At 3 Sizes**

It makes pocket holes as close as 7 / 8" to as far as 2 - 7 / 8" apart.

Harden steel bushings.

Adjusts from 7 / 8 - Inch to 2 - 7 / 8 - Inch

Drills a perfect 15 - degree angle

3 size hole for 1 / 4" ( 6.35 mm ), 5 / 16" ( 7.9 mm ), 3 / 8" ( 9.5 mm )

---



## **JSY-135 Axis Welder Angle Welding Clamp**

For welding perfect 90-Degree corners on square tube, round tube and angle and channel iron

Usable for upright joint

Quick acting screw on deluxe models

Stand-off increases access

Suitable for welding together work pieces of different dimensions

Articulated fixing

Material: Aluminum

Dimension: 9.5 x 11 x 2.5 inches

Max. span: 70 mm

# PLASTIC TUCKER / STAPLER



## **JSY-522 Easy Tuck Carpet Tucker**

Lightweight nylon tucking tool will not mark or damage walls

Use around toilets and ceramic tile without fear of breakage

Square edge works well for tucking carpet into corners

Curved edge is great for stairs



## **JSY-523 T-Handle Plastic Tucker**

Handy for tucking carpet tightly between carpet gripper and the stair or wall.

Drive carpet into gullies and crease carpet along the wall line


Made from strong lightweight plastic

90mm Head width




## **JSY-875 Hammer Tacker**

For the simple labelling and marking of wood, lumber, fencing and other wood products.



## **JSY-874 Hammer Tacker**

For the simple labelling and marking of wood, lumber, fencing and other wood products.



# KNEE KICKER

## **JSY-409 DIY Knee Kicker**

Designed to stretch and attach carpet to carpet gripper  
Light weight  
Knee bumper pad  
Compact design & easy to use



---

## **JSY-410 Adjustable Knee Kicker**

Used to stretch carpet over tack strip to insure carpet fits tight and lies flat.  
Adjustable pin depth allows for use with any carpet  
Length adjusts from 19" to 24".  
The pin dial gives a visual reference of pin length.



---

## **JSY-412 PRO. Knee Kicker**

Easy, one-button adjustments from 17" to 21" lengths.  
Exclusive non-slip checkered hand grip  
Foam-filled seamless bumper pad for extra comfort






# ROOFING TOOL

## **JSY-840 Roofing Single Standing Seamer**

This manually-operated squareseamfolder joins durable steel, smooth lead-on avoid marks at the transitions.

It is easy to handle when working extreme angular sheathing, the tool may also be used for vertical as well as for horizontal beads.

Shaping plier for the first bend, new model width 220 mm



## **JSY-841 Roofing Double Standing Seamer**

Allows simple and quick shaping of locked square seam into double seam in just one operation.

Shaping plier for the second bend, new model width 220 mm



## **JSY-842 Roofing First Standing Seamer**

The square seam folder is the ultimate tool joining prefabricated durable steel. Even with dormer windows with a small radius one joins lockseam without difficulty. It can be used to tack up lengthwise beads to prevent withdrawal from folding press.

Shaping plier for the first bend, small model



## **JSY-846 File Saw**

Great tool for opening holes in plywood and partition walls with spiral-tooth saw blade to cut through wallboard with easy

Saw blade: 6.8 x 210 mm

Total Length: 335 mm



## **JSY-847 Drywall Plasterboard Edge Stripper**

Two cutting blades allow the end user to cut both sides of the material at once

Adjustable Cutting Depth upto 120mm

Replacement blades available(Blades material is Stainless)

Special plasterboard cutter to cut plaster boards(drywall) of 9.5mm to 15mm in thickness

The pin dial gives a visual reference of pin length.



# ROOFING TOOL

## **JSY-714 Straight Aviation Tin Snips**

This Aviation Tin Snips made for drop forged, S-45C carbon steel curved blades, double sided hobbing.

Suitable for gift, promotion item, D.I.Y. general use.

Precision, serrated cutting jaws ensures quality result

\* Heat treated to HRC: 45 degrees.

\* Cutting capacity: 1.0 ~ 1.2 mm thick steel

\* Size: 250 mm ( 10 inches ) Model



---

## **JSY-715 Right Aviation Tin Snips**

This Aviation Tin Snips made for drop forged, S-45C carbon steel curved blades, double sided hobbing.

Suitable for gift, promotion item, D.I.Y. general use.

Precision, serrated cutting jaws ensures quality result

\* Heat treated to HRC: 45 degrees.

\* Cutting capacity: 1.0 ~ 1.2 mm thick steel

\* Size: 250 mm ( 10 inches ) Model



---

## **JSY-716 Left Aviation Tin Snips**

This Aviation Tin Snips made for drop forged, S-45C carbon steel curved blades, double sided hobbing.

Suitable for gift, promotion item, D.I.Y. general use.

Precision, serrated cutting jaws ensures quality result

\* Heat treated to HRC: 45 degrees.

\* Cutting capacity: 1.0 ~ 1.2 mm thick steel

\* Size: 250 mm ( 10 inches ) Model







**JUI SHIH YA ENTERPRISE  
CO.,LTD**

**Provide the service of OEM, ODM; besides, we also welcome cooper**

**Main production is flooring tools, carpet tools, as like scraper, carpet seam roller, carpet cutter, carpet knife, trimmer, stair tool.**



**Jui Shih Ya Enterprise Co., Ltd.**

**TEL: 886-4-25371077      886-4-25371078**

**FAX: 886-4-25371075**

**E-Mail: [lupopau@ms62.hinet.net](mailto:lupopau@ms62.hinet.net)**

**Web Site: [www.jsy-1000.com.tw](http://www.jsy-1000.com.tw)**